



Repubblica di San Marino
Autorità per l'Omologazione
Republic of San Marino
Authority for Homologation

Via Consiglio dei Sessanta, 99
47891 Dogana - Repubblica di San Marino

Comunicazione
Communication

	Concernente ^{2/} Concerning ^{2/}	Il rilascio dell'omologazione Approval granted L'estensione dell'omologazione Approval extended Il rifiuto dell'omologazione Approval refused La revoca dell'omologazione Approval withdrawn La cessazione definitiva della produzione Production definitively discontinued
--	---	--

of a type of mechanical coupling device or component, pursuant to regulation no 55.01


Omologazione N. Approval No.	E57*55R01/02*0024	Estensione N. Extension No.	00
---	--------------------------	--	-----------

Marchio di omologazione Approval mark	 55R-010024
--	---

- Trade name or mark of the device or component: TOWDONE
- Type of device or component: 87721
- Manufacturer's name and address: **Ningbo Era Vehicle Co.,Ltd.**
Yuetong Village,Jishigang Town,Haishu
Ningbo, 315174, Zhejiang Province,
P.R. China
- If applicable, name and address of the manufacturer's representative: Not applicable
- Alternative supplier's names or trademarks applied to the device or component: Not applicable

6. Name and address of company or body taking responsibility for the conformity of production: **AUTOMOTIVE TECHNICAL SERVICE S.r.l.**
Via Consiglio dei Sessanta, 99
47891 – DOGANA Repubblica di San Marino
7. Submitted for approval on: 01.09.2021
8. Technical service responsible for conducting approval tests: **AUTOMOTIVE TECHNICAL SERVICE S.r.l.**
Via Consiglio dei Sessanta, 99
47891 – DOGANA Repubblica di San Marino
9. Brief description: See Manufacturer's Information Document
No. 87721-00 of 01.09.2021
- 9.1. Type and class of device or component: Type: 87721
Class: B50-X
- 9.2. Characteristic values:
- 9.2.1. Primary values:
- | | | |
|-------------|-----------------------|----------|
| D: 7,7 kN | D _c : - kN | S: 75 kg |
| U: - tonnes | V: - kN | |
- Alternative values:
- | | | |
|-------------|-----------------------|----------|
| D: 7,7 kN | D _c : - kN | S: 75 kg |
| U: - tonnes | V: - kN | |
- 9.3. For Class A mechanical coupling devices or components, including towing brackets: Not applicable
- Vehicle manufacturer's maximum permissible vehicle mass: Not applicable
- Distribution of maximum permissible vehicle mass between the axles: Not applicable
- Vehicle manufacturer's maximum permissible towable trailer mass: Not applicable
- Vehicle manufacturer's maximum permissible static mass on coupling ball: Not applicable
- Maximum mass of the vehicle, with bodywork, in running order, including coolant, oils, fuel, tools and spare wheel (if supplied) but not including driver: Not applicable
- Loading condition under which the tow ball height of a mechanical coupling device fitted to category M1 (2) vehicles is to be measured -see paragraph 2 of Annex 7, Appendix 1: Not applicable
- 9.4. For class B coupling heads, is the coupling head intended to be fitted to an unbraked O1 trailer ~~Yes~~/No²

- | | |
|---|---|
| 10. Instructions for the attachment of the coupling device or component type to the vehicle and photographs or drawings of the mounting points (see Annex 2, Appendix 1) given by the vehicle manufacturer: | See Manufacturer's Information Document No. 87721-00 of 01.09.2021 |
| 11. Information on the fitting of any special reinforcing brackets or plates or spacing components necessary for the attachment of the coupling device or component (see Annex 2, Appendix 1): | See Manufacturer's Information Document No. 87721-00 of 01.09.2021 |
| 12. Additional information where the use of the coupling device or component is restricted to special types of vehicles - see Annex 5, paragraph 3.4. | Not applicable |
| 13. For Class K hook type couplings, details of the drawbar eyes suitable for use with the particular hook type. | Not applicable |
| 14. Date of test report: | 18.09.2021 |
| 15. Number of test report: | ATS-SM-IR-55-03063 |
| 16. Approval mark position: | Engrave on the top of the connecting cover body
See Manufacturer's Information Document No. 87721-00 of 01.09.2021 |
| 17. Reason(s) for extension of approval: | Not applicable |
| 18. Approval: | GRANTED/REFUSED/EXTENDED/WITHDRAWN⁽²⁾ |
| 19. Place: | DOGANA – Repubblica di San Marino |
| 20. Date. | 24.09.2021 |
| 21. Signature: | |



Ing. Marco CONTI
Direttore Generale
General Director

22. The list of documents deposited with the Administration Service which has granted approval is annexed to this communication and may be obtained on request.

(2) *Strike out what does not apply.*

(3) *As defined in the Consolidated Resolution on the Construction of Vehicles (R.E.3.), document ECE/TRANS/WP.29/78/Rev.3, para. 2 - www.unece.org/trans/main/wp29/wp29wgs/wp29gen/wp29resolutions.html.*

Allegato <i>Enclosure</i>				
Al certificato di omologazione ECE N. <i>To ECE approval certificate No.</i>		E57*55R01/02*0024*00		
Indice del fascicolo di omologazione <i>Index to the information package</i>				
Data <i>Date of issue</i>		24.09.2021	Data ultima modifica <i>Last amendment date</i>	--
1.	Clausole di garanzia e istruzioni sul diritto di presentare ricorso <i>Collateral clauses and instruction on right to appeal</i>			
2.	Rapporto(i) Finale di Ispezione N. <i>Inspection report(s) No.</i>	ATS-SM-IR-55-03063	Data <i>Date</i>	18.09.2021
3.	Scheda informativa N. <i>Information document No.</i>	87721-00	Data <i>Date</i>	01.09.2021
			Data ultima modifica <i>Last amendment date</i>	--



Clausole di garanzia e istruzioni sul diritto di presentare ricorso

Clausole di garanzia

La produzione in serie deve essere esattamente conforme ai documenti di omologazione. Le variazioni di produzione in serie sono consentite solo con il consenso espresso dell'Autorità **per l'Omologazione**.

Le variazioni del nome della società, l'indirizzo e lo stabilimento di produzione, nonché una delle parti che hanno l'autorità alla consegna o eventuali rappresentanti nominati al momento del rilascio dell'omologazione, devono essere immediatamente comunicate all'Autorità **per l'Omologazione**. La violazione di queste regole può portare al ritiro dell'omologazione ed inoltre può essere legalmente perseguita.

L'omologazione decade se viene restituita o ritirata o se il tipo omologato non è più conforme ai requisiti di legge. La revoca può essere fatta se non esistono più i requisiti richiesti per il rilascio e la continuazione dell'omologazione, se il titolare dell'omologazione viola gli obblighi dettati dall'omologazione, anche nel caso in cui gli obblighi derivino dalle condizioni assegnate all'interno dell'omologazione, o se è accertato che il tipo approvato non è conforme ai requisiti di sicurezza del traffico e di tutela dell'ambiente.

L'Autorità **per l'Omologazione** può verificare la corretta applicazione della delega conferita rilasciata nella presente omologazione, in qualsiasi momento. In particolare, questo include la verifica della produzione, che sia conforme, nonché le misure di controllo di conformità della produzione. Per questo, possono essere presi dei campioni dalla produzione. I dipendenti o rappresentanti dell'Autorità **per l'Omologazione** possono avere accesso senza ostacoli agli impianti di produzione e stoccaggio.

La delega conferita contenuta nella presente omologazione non è trasferibile. I diritti del marchio di terzi non sono interessati da questa omologazione.

Istruzione su diritto di ricorso

Questa omologazione è appellabile entro un mese dalla notifica. Il ricorso deve essere presentato per iscritto o come una domanda inviata all' **Autorità per l'Omologazione** - Via Consiglio dei Sessanta, 99 - 47891 Dogana - Repubblica di San Marino.

Collateral clauses and instruction on right to appeal

Collateral clauses

*The individual production of serial fabrication must be in exact accordance with the approval documents. Changes in the individual production are only allowed with express consent of the **Authority for Homologation**.*

*Changes in the name of the company, the address and the manufacturing plant as well as one of the parties given the authority to delivery or authorized representative named when the approval was granted is to be immediately disclosed to the **Authority for Homologation**. Breach of this regulation can lead to recall of the approval and moreover can be legally prosecuted.*

The approval expires if it is returned or withdrawn or if the type approved no longer complies with the legal requirements. The revocation can be made if the demanded requirements for issuance and the continuance of the approval no longer exist, if the holder of the approval violates the duties involved in the approval, also to the extent that they result from the assigned conditions to this approval, or if it is determined that the approved type does not comply with the requirements of traffic safety or environmental protection.

*The **Authority for Homologation** may check the proper exercise of the conferred authority taken from this approval at any time. In particular this means the compliant production as well as the measures for conformity of production. For this purpose, samples can be taken or have taken. The employees or the representatives of the **Authority for Homologation** may get unhindered access to the production and storage facilities.*

The conferred authority contained with issuance of this approval is not transferable. Trade mark rights of third parties are not affected with this approval.

Instruction on right to appeal

*This approval can be appealed within one month after notification. The appeal is to be filed in writing or as a transcript at the **Authority for Homologation** - Via Consiglio dei Sessanta, 99 - 47891 Dogana - Repubblica di San Marino.*